


# 8500 Silver

The 8500 Silver system blends contemporary elegance, practicality, and functionality, delivering superior comfort and enhancing the quality of life for its users.

**7 chambers**
Featuring seven-chamber technology, this system is engineered for superior thermal and sound insulation.

**2 gaskets**
Two levels of ventilation ensure excellent windproofing, optimal wind protection, and superior sound insulation.

**Triple glass**
Available with double glass of 24mm, three-layer 36mm glass and triple 44mm glazing bead.

**85mm width**
Our 85mm width uPVC profile offers exceptional durability, energy efficiency, and a sleek design.

**Quality and certified**

## Standard colors of our uPVC profiles

All other colors can be made to order



White | Anthracite | Golden Oak | Mahogany | Nussbaum | Jet Black | Dark Oak

## Why to choose our products?

Our PVC window and door systems are manufactured using advanced technology and provide an excellent level of acoustic and thermal insulation, achieving the highest quality standards available.

- Environment Friendly
- Easy Installation
- Cost Effective
- Noise Reduction
- Can be recycled
- Less Maintenance
- Fire Retardant
- Long life
- Thermal Insulation
- Modern design


**Premium uPVC profiles**
Created from high-quality raw materials

**Innovation**
Enhanced durability and energy efficiency for construction needs


**Reliability**
Our uPVC profiles are designed for unmatched reliability

Scan code and read more informations about this uPVC profile series.


## BF 8521
Frame profile





## BF 8522
Sash profile





## BF 8523
In turn door sash profile





## BF 8504
Outward opening door sash profile





## BF 8525
Mullion (T-bar) profile





## BF 8526
False mullion profile




## BF 8509
**Double glazing bead**
24 mm





## BF 7609
**Triple glazing bead**
32 mm





## BF 8508
**Triple glazing bead**
36 mm




## BF 8510
**Triple glazing bead**
44 mm




## BF 7054
**Triple glazing bead**
52.50 mm





## Glazing Beads for uPVC Windows and Doors

Glazing beads are crucial components in uPVC windows and doors, ensuring the glass panes are securely held in place while providing a neat and finished appearance. These beads are typically made from the same uPVC material as the window or door frames, ensuring a seamless and cohesive look.


—

*Durability*
*Low Maintenance*
*Energy Efficiency*


## BF 8520
**Profile extension**
85*100mm





## BF 8507
**Profile extension**
85*25mm





## BF 8517
**Treshold**





## BF 8535
**Connecting pillar**





## BF 5025
**Additional cornice part** - *Adaptor*




## BF 8536
**Window Drainboard**




## BF 7208
**Blind box extension**





## BF 8518
**Treshold cap 85**




## BF 8519
**False mullion cap 85**




## OB 0121
**Mullion (T-bar) coupling 85**




## BF 8531
**Angle connection pipe**





## BF 8542
**Pipe adaptor**





## BF 7202
**Connecting molding**




## DOOR SYSTEM
Application of frame and door sash





## WINDOW SYSTEM
Application of frame and window sash





## DOOR SYSTEM
Application of frame and outward opening window sash





## WINDOW SYSTEM
Application of sash and false mullion profile





## WINDOW SYSTEM
Application of sash and Mullion (T-bar) profile





## WINDOW SYSTEM
Application of frame and sash with connecting pillar




## DOOR SYSTEM
Application of frame extension 25mm





## DOOR SYSTEM
Application of frame extension 100mm


## DOOR SYSTEM
Application of 24mm door panel





## DOOR SYSTEM
Application of 36mm door panel


## DOOR SYSTEM
Application of door sash, treshold and drainboard








## DOOR SYSTEM
Application of connection molding


## WINDOW SYSTEM
Application of additional cornice part on the wall




## WINDOW SYSTEM
Drainage view




## WINDOW SYSTEM
Application of outside ALU window sill and inside PVC window sill





## Long Lifespan

With proper installation, uPVC profiles can last 20–40 years or more, maintaining their appearance and performance over time.