


Design Versatility

Available in a wide range of colors, finishes, and styles, uPVC profiles can mimic wood grain or come in sleek modern designs to suit any architecture.



Unique slide

Innovative hardware design: Convenient and easy operation with little effort due to closing motion across the frame profile.
High impermeability due to circumferential gasket and active control of all locking points (also in the mullion).

Maximum operating comfort
Easy to use thanks to innovative closing movement perpendicular to the frame profile and construction on roller bearings.

Tightly sealed
Permanently tightly sealed, even in extreme weather events with storms and heavy rain, thanks to circumferential gasket and locking points.

Exclusive design
Harmonious appearance thanks to concealed technology and modern window handles.

Premium quality
Robust and well-made components, proven and tested many times over in accordance with the highest quality standards.

Quality and certified

Standard colors of our uPVC profiles

All other colors can be made to order



White | Anthracite | Golden Oak | Dark Oak | Nussbaum | Jet Black | Mahogany

Why to choose our products?

Our PVC window and door systems are manufactured using advanced technology and provide an excellent level of acoustic and thermal insulation, achieving the highest quality standards available.

- Environment Friendly
- Easy Installation
- Cost Effective
- Noise Reduction
- Can be recycled
- Less Maintenance
- Fire Retardant
- Long life
- Thermal Insulation
- Modern design


Premium uPVC profiles
Created from high-quality raw materials

Innovation
Enhanced durability and energy efficiency for construction needs


Reliability
Our uPVC profiles are designed for unmatched reliability

Scan code and read more informations about this uPVC profile series.


BF 1501
Frame profile




BF 1502
Sliding sash




BF 7615
Mullion (T-bar) profile




BF 1503
Sliding sash cover




BF 1504
Sliding sash cover




BF 7609
Glazing bead
24 mm




BF 8508
Glazing bead
28 mm




BF 8510
Glazing bead
36 mm



BF 5035
Extension
100 mm



BF 5031
Extension
25 mm




Glazing Beads for uPVC Windows and Doors

Glazing beads are crucial components in uPVC windows and doors, ensuring the glass panes are securely held in place while providing a neat and finished appearance. These beads are typically made from the same uPVC material as the window or door frames, ensuring a seamless and cohesive look.


Durability
Low Maintenance
Energy Efficiency

Iron reinforcement
Can be used for:
BF 1501 Frame profile




BF 417-12 *(Thickness 1.2mm)*
BF 417-15 *(Thickness 1.5mm)*
BF 417-20 *(Thickness 2.0mm)*

Iron reinforcement
Can be used for:
BF 1501 Frame profile




BF 418-12 *(Thickness 1.2mm)*
BF 418-15 *(Thickness 1.5mm)*
BF 418-20 *(Thickness 2.0mm)*

Iron reinforcement
Can be used for:
BF 7615 T Bar profile




BF 409-12 *(Thickness 1.2mm)*
BF 409-15 *(Thickness 1.5mm)*
BF 409-20 *(Thickness 2.0mm)*

Iron reinforcement
Can be used for:
BF 1502 Sash profile




BF 419-12 *(Thickness 1.2mm)*
BF 419-15 *(Thickness 1.5mm)*
BF 419-20 *(Thickness 2.0mm)*

Iron reinforcement
Can be used for:
BF 5035 Profile extension 100mm




BF 407-10 *(Thickness 1.0mm)*
BF 407-12 *(Thickness 1.2mm)*
BF 407-15 *(Thickness 1.5mm)*

Iron reinforcement
Can be used for:
BF 5031 Profile extension 25mm




BF 408-12 *(Thickness 1.2mm)*
BF 408-15 *(Thickness 1.5mm)*
BF 408-20 *(Thickness 2.0mm)*

Iron reinforcement
Can be used for:
BF 7615 T bar squared




BF 413-12 *(Thickness 1.2mm)*
BF 413-15 *(Thickness 1.5mm)*
BF 413-20 *(Thickness 2.0mm)*


BF 1511 - Under rail




BF 1512 - Top guide




BF 1514 - Plate guide




BF 1513
Espagnolete extension




BF 1515 - Double sash connector




BF 1516- T cover




603444 - Central locking




764350 - Centre lock componente - Horizontal




255281 - Centre lock componente - Vertical




821685 - Control unit




260275 - Corner drive




260272 - Corner drive



822789 Counter plate with protection




739179 - Stopper




Provided by **Roto**
Germany


792191 - Espagnolette




297858 - Espagnolette extension




635307 - Front stopper




821687 - Left central lock




2031030 - Locking pin




2031030 Standard equivalent



793493 - MUL striker




821686 - Roller unit



Provided by **Roto** Germany

799005
Handle for Unique slide







Provided by **Roto**
Germany

Unique slide
Slide system


Sliding frame
Application of frame with glass




Slide system
Assembly of full slide system




T-bar application
Application of Mullion (T-bar) profile




Slide system
Assembly with handles




Drainage view




Double slide system
Application of two sliding sash





Slide system
Application of 25mm extension



Slide system
Application of 100mm extension




Fix
part
Sliding
part
Sliding
part
Fix
part


Sliding
part
Fix
part



Long Lifespan

With proper installation, uPVC profiles can last 20–40 years or more, maintaining their appearance and performance over time.